


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

debug nested language script

1995

- 2004

Search

Ad
Sc
Sc
Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 1,290 for **debug nested language scri**
All Results[R Lencevicius](#)[D Parson](#)[J Thamm](#)[C Liu](#)[P Bogle](#)

[Active debugging environment for debugging mixed-language scripting code](#)
- all 3 versions »

PL Bogle, GS Katzenberger, SJ McKelvie, RV Welland - US Patent 6,353,923, 2002 -
Google Patents

... Process **Debug** Akey component of the active **debugging** environment Manager that ...
that

include the tree of debuggable documents, **language** engines, running ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#)

[Extension Language Automation of Embedded System Debugging](#) - all 15
versions »

D Parson, B Schlieder, P Beatty - Automated Software Engineering, 2002 - Springer
... low-level device IO ports to **debugger** files and ... an instance name as a prefix to
debugging commands ... Commands **nested** within the dynamic scope of an instance
name ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Distributed Source Code Debugging for Embedded Systems](#) - all 2 versions »

D Parson, L Herrera-Bendezú, J Vollmer - CSREA (Computer Science Research, Education
and Applications ..., 2000 - ptd.net

... start" or "stop" commands for **nested** Pro- cessors in ... the feature is useful for
debugging

concurrent processors ... 9] and cdb [10] create a **debug** agent that ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Using XML as a flexible, portable test script language](#)

DJ Johnson, P Roselli - AUTOTESTCON 2003. IEEE Systems Readiness Technology ...,
2003 - ieeexplore.ieee.org

... the initial **script** and the less **debugging** required on ... developer to help create and
debug test **scripts** ... A TEST **SCRIPT** The test **script language** incorporates many ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[System for multi-language debugging](#)

WA Pugh, JM Eckels - 2004 - freepatentsonline.com

... A developer can **debug** source code that has several **nested** languages within a single ...
In some embodiments, when **debugging** begins, the **debug** proxy will talk ...

[Cached](#) - [Web Search](#)

[Extension Language Automation of Embedded System Debugging](#)

C our FAQ, R Zone - Automated Software Engineering, 2002 - ingentaconnect.com

... low-level device IO ports to **debugger** files and ... an instance name as a prefix to
debugging commands ... Commands **nested** within the dynamic scope of an instance
name ...

[Related Articles](#) - [Web Search](#)

[A language to model animation out of behaviour-embedded graphical
components](#)


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 15,000 for **debug multi language scrip**

All Results

[S Seneff](#)
[G Goldszmidt](#)
[A Stolcke](#)
[E Hurley](#)
[R Lau](#)

[Active debugging environment for debugging mixed-language scripting code](#) - [all 3 versions »](#)

PL Bogle, GS Katzenberger, SJ McKelvie, RV Welland - US Patent 6,353,923, 2002 - Google Patents

... **script** host with **language** engines for each of the **multiple** compiled and/or ... The active **debugging** environment user interface can be of any **debug** tool inter ...

Cited by 10 - [Related Articles](#) - [Web Search](#)

[Using SWIG to Control, Prototype, and Debug C Programs with Python](#) - [all 3 versions »](#)

DM Beazley - Proceedings of the 4 thInternational Python Conference - [homepages.cwi.nl](#)

... When **debugging** new modules or libraries, it would ... often possible to prototype and **debug** modules independently ... OOPSLA 94 Workshop on **Multi-Language** Object Models ...

Cited by 10 - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Galaxy-II: A reference architecture for conversational system development](#) - [all 15 versions »](#)

S Seneff, E Hurley, R Lau, C Pao, P Schmid, V Zue - Proc. ICSLP, 1998 - [cs.uta.fi](#)

... in a log file, another useful **debugging** device ... Seneff, "Robust Parsing for Spoken **Language** System," Proc ... Multimodal Discourse Modelling in a **Multi-User Multi** ...

Cited by 189 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Fun and Games: Multi-Language Development](#) - [all 3 versions »](#)

AM Phelps, DM Parks - Queue, 2004 - [portal.acm.org](#)

... Few resources exist for making **multiple** languages behave together, and for **debugging** across them. Some popular tools allow you to **debug** across languages ...

Cited by 8 - [Related Articles](#) - [Web Search](#)

[Interactive debug requirements](#) - [all 2 versions »](#)

R Seidner, N Tindall - Proceedings of the symposium on High-level debugging, 1983 - [portal.acm.org](#)

... requesting that IBM provide such functions in our **debug** products. ... **multi**-lingual as are many applica- tions. Nhat is needed is a single **debugging** tool that is ...

Cited by 15 - [Related Articles](#) - [Web Search](#)

[Multi-tier debugging](#) - [all 5 versions »](#)

DE House, CJ Nelin - US Patent 6,061,517, 2000 - Google Patents

... **Multi-Tier Debugging** FIG. 5 is a block diagram that further illustrates the **multi-tier** nature of ... 414, and the builder 406 and **debugger** 444 can **debug** the **script** ...

Cited by 8 - [Related Articles](#) - [Web Search](#)

[Extension Language Automation of Embedded System Debugging](#) - [all 15 versions »](#)

D Parson, B Schlieder, P Beatty - Automated Software Engineering, 2002 - Springer

... Mixing abstractions within design and **debugging** is typical. ... Parson et al., 1999), exposes **multiple** layers of target system abstraction to **debug-** ger users ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Simulating a multi-tiered computer environment on a single development system for debugging - all 3 versions »

DE House, CJ Nelin - US Patent 5,940,593, 1999 - Google Patents

... 5 is a block diagram that illustrates a **multi-tier debugging** tool provided by ... IDEs are executed, wherein each IDE includes a code window with a **debugger**. ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

Multi-tier view project window - all 2 versions »

HJ Glaser, DE House, CJ Nelin - US Patent 5,953,525, 1999 - Google Patents

... No. 08/828,481, entitled "**MULTI-TIER DEBUGGING**," filed on ... Environment (IDE) that is used to 25 design, develop, deploy, and **debug** computer programming ...

[Cited by 11](#) - [Related Articles](#) - [Web Search](#)

Kibitz-Connecting Multiple Interactive Programs Together - all 14 versions »

D Libes - Software - Practice and Experience, 1993 - esrf.fr

... the cron environment and **debug** its processes ... week to create Kibitz including **debugging**

and documentation ... techniques for connecting **multiple** interactive programs ...

[Cited by 12](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	182	(many or plurality or multiple) near5 (foreign or international\$7 or language) and (bytecode or java) and (class or stack or frame) and script\$3 and (window\$3 or panel or display\$3 or screen or mvc or container or frame) and (debug\$4 or watch or watchpoint or view) near3 (window\$3 or panel or display\$3 or screen or mvc or container or frame) and (multiple or plurality or each) near3 (window\$3 or panel or display\$3 or screen or mvc or container or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/23 09:30
L2	0	(many or plurality or multiple) near5 (foreign or international\$7 or language) and (bytecode or java) and (class or stack or frame) and script\$3 and (window\$3 or panel or display\$3 or screen or mvc or container or frame) and (debug\$4 or watch or watchpoint or view) near3 (window\$3 or panel or display\$3 or screen or mvc or container or frame) and (multiple or plurality or each) near3 (window\$3 or panel or display\$3 or screen or mvc or container or frame) and (display\$3 or view\$3) near3 (each or all)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/23 09:32
L3	2	"script debug controller"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/23 09:32
L4	8	script\$3 near3 (debug\$3 near3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/23 09:33
L5	726	(display\$3 or view\$3) near3 (plurality or multiple or all) near3 (mix\$4 or language) and (gui or ui or interface or framework or window or frame or container or panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 09:36

EAST Search History

L6	17	(display\$3 or view\$3) near3 (plurality or multiple or all) near3 (mix\$4 or language) and (gui or ui or interface or framework or window or frame or container or panel) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 09:46
L7	33	(display\$3 or view\$3) near3 (plurality or multiple or all) near3 (mix\$4 or language) and (gui or ui or interface or framework or window or frame or container or panel) and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:19
L8	1007	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:20
L9	308	717/125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:19
L10	330	717/126.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:19
L12	68	717/124.ccls. and (ide or gui or ui or view\$3) and (multi or multiple or nested or plurality or combin\$5) near3 languages	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:21
L13	26	717/125.ccls. and (ide or gui or ui or view\$3) and (multi or multiple or nested or plurality or combin\$5) near3 languages	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:21
L14	26	717/126.ccls. and (ide or gui or ui or view\$3) and (multi or multiple or nested or plurality or combin\$5) near3 languages	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:22
L15	28	717/124.ccls. and (ide or gui or ui or view\$3) and (multi or multiple or nested or plurality or combin\$5) near3 languages and interpret\$3 same (compil\$5 or native\$2 or binar\$3 or "machine code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:23

EAST Search History

L16	8	717/125.ccls. and (ide or gui or ui or view\$3) and (multi or multiple or nested or plurality or combin\$5) near3 languages and interpret\$3 same (compil\$5 or native\$2 or binar\$3 or "machine code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:23
L17	13	717/126.ccls. and (ide or gui or ui or view\$3) and (multi or multiple or nested or plurality or combin\$5) near3 languages and interpret\$3 same (compil\$5 or native\$2 or binar\$3 or "machine code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:24
L18	46	l15 l16 l17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 10:24
S1	666	717/124.ccls. and (foreign or international\$7 or language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 15:28
S2	244	717/125.ccls. and (foreign or international\$7 or language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 15:28
S3	246	717/126.ccls. and (foreign or international\$7 or language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:31
S4	20	717/126.ccls. and (foreign or international\$7 or language) and (bytecode or java) and (class or stack or frame) and script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 15:30
S5	22	717/125.ccls. and (foreign or international\$7 or language) and (bytecode or java) and (class or stack or frame) and script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 15:30
S6	66	717/124.ccls. and (foreign or international\$7 or language) and (bytecode or java) and (class or stack or frame) and script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 16:17

EAST Search History

S7	2	"6353923".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 15:31
S8	40	("5048018" "5432940" "5475843" "5615332" "5669000" "5768510" "5771385" "5815653" "5819093" "5854930" "6011920").PN. OR ("6353923"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/15 15:31
S9	37	((("5048018" "5432940" "5475843" "5615332" "5669000" "5768510" "5771385" "5815653" "5819093" "5854930" "6011920").PN. OR ("6353923"). URPN.) and (foreign or international\$7 or language)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/15 15:32
S10	64	717/124.ccls. and (foreign or international\$7 or language) and (bytecode or java) and (class or stack or frame) and script\$3 and (window\$3 or panel or display\$3 or screen or mvc or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 16:19
S11	13	717/124.ccls. and (many or plurality or multiple) near5 (foreign or international\$7 or language) and (bytecode or java) and (class or stack or frame) and script\$3 and (window\$3 or panel or display\$3 or screen or mvc or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 09:38
S12	13	717/124.ccls. and (many or plurality or multiple) near5 (foreign or international\$7 or language) and (bytecode or java) and (class or stack or frame) and script\$3 and (window\$3 or panel or display\$3 or screen or mvc or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/23 09:28
S13	104	(debug\$4 or test\$3 or verify\$3 or verification or valid\$7) same (many or plurality or multiple) near5 (foreign or international\$7 or language or "multi-language") and (bytecode or java) and (class or stack or frame or (activation near3 record)) and script\$3 and (window\$3 or panel or display\$3 or screen or mvc or container or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 09:41

EAST Search History

S14	141	(debug\$4 or test\$3 or verify\$3 or verification or valid\$7 or monitor\$3 or profil\$3) same (many or plurality or multiple) near5 (foreign or international\$7 or language or "multi-language") and (bytecode or java) and (class or stack or frame or (activation near3 record)) and script\$3 and (window\$3 or panel or display\$3 or screen or mvc or container or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 09:41
S15	131	S14 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 09:42
S16	127	(S14 not S12) and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:42
S21	30	("6823495" "7096422" "6360358" "6950872" "6615258" "6609115" "6584454").pn. "20030018661" "20050050068" "20020161826" "20030028579" "20070038500" "20040078373" "20020194244" "20020111922"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 14:05
S23	98	("6292932" "6330569" "6343265" "6408311" "6560769" "6594700" "6678518" "6687848" "6850979" "6915519" "6918084" "6976086" "7054858" "6070184" "6721779" "6141701" "6411698" "6012083" "6212546" "6748420" "7117504" "6963914" "6889244" "6445711" "6070184" "6377939").pn. "20020120685" "20020152106" "20030014439" "20030004746" "20030055868" "20030043191" "20030055878" "20030110446" "20030126136" "20030149791" "20030167358" "20030196168" "20040148336" "20040216086" "20040260715" "20020035604" "20020083075" "20020010803" "20020184610" "20020004848" "20040204976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 14:23

EAST Search History

S25	105	("5867822" "6092102" "6222533" "6567738" "6687702" "6757689" "6959307" "6847981" "7076772" "7127704" "7107578" "6243737" "6643652" "6832238" "7072934" "7143186" "7051072" "5604860" "5630131" "6018730" "6023578" "6470364" "6637020" "6654932" "6789054" "7017146" "7062718" "7111243" "7051316" "5469562" "6016495" "6334114" "5944794" "6636491").pn. "20020010781" "20020174178" "20020194267" "20020194495" "20030018832" "20040019645" "20060206856" "20030084203" "20050278585" "20030051066" "20030074217" "20020143960" "20030046591" "20030079029" "20060234678"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 14:44
S26	14	("5247676" "5371746" "5430876" "5457797" "5787245" "5794047" "5802371" "5818445" "5901315" "6026362" "6126328" "6314429" "6353923" "6826746").PN. OR ("7107578").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/19 16:12
S27	47	("5048018" "5432940" "5475843" "5615332" "5669000" "5768510" "5771385" "5815653" "5819093" "5854930" "6011920").PN. OR ("6353923"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/19 16:16
S28	44	("20020016759" "20020078365" "20020165936" "20030018665" "20030041198" "20030046266" "20030110117" "20040133660" "20040225995" "5321841" "5748975" "5835769" "5836014" "5862327" "5950010" "5961593" "6023722" "6044217" "6067548" "6067623" "6119149" "6141686" "6222533" "6226675" "6230287" "6230309" "6237135" "6282711" "6324681" "6338064" "6349408" "6353923" "6393605" "6549949" "6594693" "6604198" "6721747" "6732237" "6795967" "6799718" "6802000" "6804686" "6836883").PN. OR ("7076772"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/19 16:26